PROCESSION SYSTEMS

SYSTEMS

PROCESSION

ZP-SLIM SERIES

Processional equipment with digital amplifier, wireless microphone system, MP3 player etc.

WIRELESS TECHNOLOGY LIGHT WEIGHT

6 HOURS OF OPERATION AUDIO PLAYER MODULE

Procession systems with 40 W or 60 W sinus (depending on the model), digital T-Class amplifiers, wireless system, USB/ SD player with BT receiver, charger, carrying strap and pouch.

The ZP-SLIM procession systems are flexible mobile PA systems that convince the user with their powerful voice and music transmission, their attractive appearance and their electronic and mechanical design.

The systems can be used as mobile devices or as a stationary sound system (for example as background music player in the

In combination with the included NiMH battery pack, the systems allow an operating time of about 6 hours.



- Complete SET

The scope of delivery includes a complete mobile system (scope varies depending on the model):

- Battery & charger
- 1' or 2" wireless receiver(s)
- 1' or 2" wireless hand microphone(s)
- Carrying strap & carrying bag
- Device description

The procession systems have two separate power channels (2 x 20 W sinus or 2 x 30 W sinus depending on the model) based on the digital CLASS-T amplifiers. Using high-quality, high-performance neodymium 3.3" speaker chassis provides excellent sound in both speech and music.

Models

ZP-40 SLIM/1 (SET).. Procession syst./ 1x wireless syst.
Digital AMP 2x 20 W. 1x wireless receiver, 1x wireless microphone, 4x neodym. speak. ZP-40 SLIM/2 (SET). Procession syst. / 2 x wireless syst. Digital AMP 2 x 20 W, 2 x wireless receivers, 2 x wire ZP-43 SLIM/2 (SET).. Procession syst./2 x wireless syst.
Digital AMP 2 x 30 W, 2 x wireless receivers, 2 x wireless microphones, 6 x neodym. speak.



ZP-SLIM SERIES - Continued on the following page



Model ZP-40 SLIM/1 (SET)
 Models ZP-40 SLIM/2 (SET) and ZP-43 SLIM/2 (SET)

AUDIOVOXITALIA.COM

PROCESSION SYSTEMS

ZP-SLIM SERIES - Continued from previous page -



Wireless technology (2-channel)





Very easy operation



Flexible use: Mobile or as a stationary sound system in the church



Excellent voice reproduction



Powerful music playback



Low weight



Play module with BT receiver: Transfer and play music wirelessly. Supports all Bluetooth enabled devices.



Player module with USB port or SD card



Front and rear sonication possible: Speaker rotatable up to 180°



Numerous accessories (tripod, headset, lavalier microphone, matching bag and much more)



Fig.: ZP-40 SLIM / 2 - The perfect mobile sound system

The upper loudspeakers can be rotated up to 180° and enable front and rear sound. The systems are thus ideal for elongated processions.

The built-in playback module with BT receiver (player for USB sticks, SD memory cards and for audio transmission using all common Bluetooth-enabled devices) will optimally accompany you during the operation.

The ZP-SLIM procession systems impress with their very easy and extremely user-friendly operation, the huge amplifier power (40 or 60 W)

Accessories











for transport and storage

Fig.: The upper speakers can be rotated steplessly up to 1807

and their low weight (about 5.5 kg).









Fig.: above ZP-SLIM as a stationary sound system in the church

Fig.: Playback	module (with BT	receiver.	inputs for USB stick	+ SD card) & remote control

Technical Details	ZP-40SLIM/1 (SET)	ZP-40SLIM/2 (SET)	ZP-43SLIM/2 (SET)			
Output	2 x 20W sine	(40W)	2 x 30W sine (60W)			
Amplifier	2-channel digital class T					
Equalization	1 x LF/HF filter wireless receiver, 1 x LF/HF filter in the system					
Volume control	1 x for the wireless system, 1 x for the system					
Speaker	4 x 3.5" broadband,	neodymium; swiveling	6 x 3.5" broadband, neodymium; swiveling			
Frequency response	100 Hz to 18 kHz [+/2 dB]					
Sound pressure	98 dBA value @1V	V/1mtr.	99 dBA value @1W/1mtr.			
Audio inputs	1 x USB player, 1 x SD- player, 1 x mic on jack, 1 x LINE on RCA, +1 x wireless receiver +2 x wireless receivers +2 x wireless receivers					
Audio outputs	1 x LINE on XLR					
Remote Control	IR system for SD / USB players					
Antenna	screwable outdoor antenna					
Battery technology	Nickel-Metal Hydride Accumulators (NiMH)					
Charge	about 10 hours [automatic]					
Uptime	about 5-6 hours					
Wireless technology	1 x UHF receiver, 1 x UHF hand microphone 2 x UHF receivers, 2 x UHF hans microphones					
Reception Mode	UHF toll free					
Range [system]	100 met	ers	150 meters			
Range [radio]	70 meters					
Power supply	24VDC external power supply					
Tripod flange	yes, with 35 mm bore					
Material	ALU powder-coated					
Mass	about 5 kg with batteries					
Holder	Shoulder strap					
Dimension	140 cm	length	162 cm length			